

## AN ANNOTATED LIST OF THE LYCAENIDAE (LEPIDOPTERA: RHOPALOCERA) OF THE WESTERN HEMISPHERE

By WILLIAM PHILLIPS COMSTOCK AND EDGAR IRVING HUNTINGTON

[Continued]

*jambe* Godman, F. D. and O. Salvin, *Thecla*

Type Locality: San Francisco, Costa Rica.

Location of Type: British Museum (Natural History).

Original Description: 1887 (September), *Biologia Centrali-Americana*, Insecta, Lepidoptera-Rhopalocera, vol. 2, p. 86, vol. 3, pl. 57, figs. 28, 29 ♂ (London).

Synonyms: *jambe* Draudt.

*ianthe* Edwards, William H., *Chrysophanus*

Type Locality: Nevada (♂, ♀).

Location of Type:

Original Description: 1871 (January), *Trans. Amer. Ent. Soc.*, vol. 3, p. 211 (Philadelphia, Pa.).

Additional Reference: McDunnough, J. H., 1938, Check list, pt. 1, p. 26, no. 431 (Los Angeles, Calif.). (Places *ianthe* as a synonym of *nivalis* Boisduval.)

*icariooides* Boisduval, Jean A., *Lycaena*

Type Locality: Mountains of California, June.

Location of Type: United States National Museum?

Original Description: 1852, *Ann. Soc. Ent. France*, Series 2, vol. 10, p. 297 (Paris).

Additional Reference: Oberthür, Charles, 1913, *Etudes de Lepidoptérologie Comparee*, fasc. 9, pt. 1, p. 41, pl. 237, fig. 1943 ♂ (Rennes).

Synonyms: *daedalus* Behr, *fulla* Edwards, *maricopa* Reakirt, *windi* Gunder syn., *mintha* Edwards, *mincha* Kirby syn., *phileros* Boisduval, *spinimaculata* Gunder.

Subspecies: *montis* Blackmore, *moroensis* Sternitzky, *pembina* Edwards, *ardea* Edwards, *blackmorei* Barnes and McDunnough, *buchholzi* dos Passos, *evius* Boisduval, *helios* Edwards, *helius* (Zool. Record) syn., *lycea* Edwards, *rapahoe* Reakirt, syn., *missionensis* Hovanitz.

*ilavia* Beutenmüller, William, *Thecla*.

Type Locality: Texas.

Location of Type: American Museum of Natural History.

Original Description: 1899 (December), *Jour. New York Ent. Soc.* vol. 7, p. 254 (New York, N. Y.).

Additional Reference: McDunnough, J. H., 1938, Check list, pt. 1, p. 24,

no. 376 (Los Angeles, Calif.). (Places *ilavia* as a subspecies of *autolyces* Edwards.)

Synonyms: *mirabelle* Barnes.

*illex* Schaus, William, *Thecla*

Type Locality: Colombia.

Location of Type: United States National Museum, no. 5949 ♂.

Original Description: 1902, Proc. U. S. Natl. Mus., vol. 24, p. 419 (Washington, D. C.).

*imma* Prittzwitz, O. V., *Thecla*

Type Locality: Corcovado, Rio de Janeiro, Brazil.

Location of Type:

Original Description: 1865, Stettin Ent. Zeit., vol. 26, p. 322 (Stettin).

Synonyms: *innua* (Zool. Record).

*immaculata* Cockle, J. W., *Thecla iroides* var.

Type Locality: Kaslo, British Columbia, May, 1897.

Location of Type:

Original Description: 1910 (June), Can. Ent., vol. 42, p. 204 (London, Ontario).

*immaculata* Gunder, Jean D., *Satyrium fuliginosa* tr. f.

Type Locality: McGee's Creek, near Mammoth, Mono County, California, June 20, 1926.

Location of Type: American Museum of Natural History.

Original Description: 1927 (December), Can. Ent., vol. 59, p. 283, pl. A, fig. 6 (Orillia, Ont.).

*immaculata* Chermock, F. H., *Plebeus lupini* ab.

Type Locality: Gold Lake District, Sierra County, California.

Location of Type: Chermock Collection?

Original Description: 1929, Bull. Brooklyn Ent. Soc., vol. 24, p. 20 (Brooklyn, N. Y.).

*immaculata* Lathy, Percy I., *Trichonis*

Type Locality: ?

Location of Type: Fournier Collection, Paris.

Original Description: 1930 (June), Trans. Ent. Soc. London, vol. 78, p. 133 (London).

Note: Lathy refers to Hewitson's figure of *theanus*, Illus. of Diurnal Lepidoptera, vol. 2, pl. 29, fig. 2 ♀, as illustrating his new species, saying that the figure is that of a male.

*immaculosus* Comstock, William P., *Strymon titus* var.

Type Locality: Provo, Utah, July 27, 1909 (collector T. Spalding).

Location of Type: American Museum of Natural History.

Original Description: 1913 (February), Bull. Brooklyn Ent. Soc., vol. 8, no. 3, p. 33, pl. 11, figs. A-H (Brooklyn, N. Y.).

*imperialis* Cramer, Pierre, *Papilio*

Type Locality: Surinam.

Location of Type:

Original Description: 1775, Papillons exotiques des trois parties du monde, vol. 1, p. 120, pl. 76, figs. E, F. (Amsterdam).

Synonyms: *venus* Fabricius.

*improba* Reed, E. C., *Cupido*

Type Locality: Chile.

Location of Type: Museo Nacional.

Original Description: 1877, Una Monografía de las Mariposas Chilenas, p. 67 (Santiago de Chile).

Additional Reference: Butler, A. G., 1881, Trans. Ent. Soc. London, p. 467 (London). (Places *improba* as a synonym of *adonis* Schiffermüller and Denis which is a Palaearctic species.)

*inachus* Cramer, Pierre, *Papilio*

Type Locality: "Indes Occidentales."

Location of Type:

Original Description: 1775, Papillons exotiques des trois parties du monde, vol. 1, p. 58, pl. 36, fig. D (Amsterdam).

Additional Reference: Hewitson, W. C., 1874 (December), Illus. of Diurnal Lepidoptera, vol. 1, p. 183, vol. 2, pl. 72, figs. 557 ♂, 558, 559 ♀ (London).

Synonyms: *baeton* Sepp.

Subspecies: *carpophora* Hewitson.

*inaequalis* Tutt, J. W., *Celastrina argiolus* ab.

Type Locality: Brooklyn, New York.

Location of Type:

Original Description: 1908, Nat. Hist. British Lepidoptera, vol. 9, p. 416 (London).

Additional References: Edwards, W. H., 1884, Butterflies of North America, vol. 2, p. 10, pl. 2, fig. 24 Lycaena (Boston, Mass.). McDunnough, J. H., 1938, Check list, pt. 1, p. 29, no. 475 (Los Angeles, Calif.). (Places *inaequalis* as an aberration of *pseudargiolus* Boisduval and LeConte.)

*inconspicua* Lathy, Percy I., *Thecia*

Type Locality: Petropolis, Brazil, August 28, 1872, 1 ♀.

Location of Type: Fournier Collection.

Original Description: 1930 (June), Trans. Ent. Soc. London, p. 136, pl. 9, fig. 15 ♀ (London).

Note: "This species is closely allied to *basalides* Hübner, but may be distinguished by the absence of spots near the base of the hind wing below."

*inconspicua* Draudt, Max, *Itylos*

Type Locality: Cuzco, Peru, 3600 meters.

Location of Type:

Original Description: 1921 (January), The Macrolepidoptera of the World, vol. 5, p. 822, pl. 144-m (Stuttgart).

*indigo* Druce, Hamilton H., *Thecla*

Type Locality: Chapada Campo, Brazil, January.

Location of Type: Godman Collection.

Original Description: 1907 (June), Proc. Zool. Soc. London, p. 609 (London).

Additional Reference: Draudt, Max, 1920 (February), The Macrolepidoptera of the World, vol. 5, p. 794 (Stuttgart). (Considers *indigo* a subspecies of *vitruvia* Hewitson.)

*ines* Edwards, W. H., *Thecla*

Type Locality: Southern Arizona, October.

Location of Type: Pittsburgh, Pennsylvania (Carnegie Museum).

Original Description: 1882 (February), Papilio, vol. 2, p. 25 (New York).

Additional References: Holland, W. J., 1931, The Butterfly Book, 2nd Edition, p. 240, pl. 29, fig. 35 (type) (New York, N. Y.). (This probably fixes the lectotype.) Barnes, William J. and J. H. McDunnough, 1912 (July), Contributions to the Natural History of the Lepidoptera of North America, vol. 1, no. 4, p. 57, pl. 27, figs. 5, 6, 7 (Decatur, Illinois). Stallings, D. B. and J. R. Turner, 1947 (February), Ent. News, vol. 58, p. 39 (Philadelphia, Pa.). (Places *ines* as winter form of *leda* Edwards, therefore a synonym).

*infrequens* Weeks, A. G., Jr., *Thecla*

Type Locality: Cusilluni, Bolivia, May, 1899. Three specimens, no type selected.

Location of Type: Museum of Comparative Zoology, Cambridge, Massachusetts.

Original Description: 1901, Ent. News, vol. 12, p. 265 (Philadelphia, Pa.).

Additional References: Weeks, A. G., Jr., 1905, Illus. of Diurnal Lepidoptera, p. 37, pl. 6, fig. 3 (Boston, Mass.). Comstock, W. P. and E. I. Huntington, 1943 (December), Ann. New York Acad. Sci., vol. 45, p. 88 (New York, N. Y.). (Remark that *infrequens* is probably not a synonym of *bazochii* Godart as stated by Draudt (1920, The Macrolepidoptera of the World, vol. 5, p. 810)).

*ingae* Sepp, Jan, *Papilio*

Type Locality: Surinam.

Location of Type:

Original Description: 1848, Surinaamsche Vlinders, vol. 1, p. 41, pl. 17 (Amsterdam).

Additional Reference: Druce, H. H., 1907 (June), Proc. Zool. Soc. London, p. 631 (London). (Makes *ingae* a synonym of *eryx* Cramer.)

*innua*, *Thecla*. Misspelling of *imma* Prittewitz

Type Locality:

Location of Type:

Original Description: 1866, Zool. Record, vol. 2, p. 599 (London).

*inoa* Godman, F. D. and O. Salvin, *Thecla*

Type Locality: Jalapa, Mexico.

Location of Type: British Museum (Natural History).

Original Description: 1887 (September), *Biologia Centrali-Americana, Insecta, Lepidoptera-Rhopalocera*, vol. 2, p. 88, vol. 3, pl. 58, figs. 18, 19 ♂ (London).

*inorata* Grote, Augustus R. and Coleman T. Robinson, *Thecla*

Type Locality: New York.

Location of Type: American Museum of Natural History.

Original Description: 1868 (January), *Trans. Amer. Ent. Soc.*, vol. 1, p. 323 (Philadelphia, Pa.).

Additional Reference: Barnes, W. J. and J. H. McDunnough, 1916, Contributions to the Natural History of the Lepidoptera of North America, vol. 3, no. 2, p. 104 (Decatur, Illinois). (Indicate that *inorata* is a synonym of *calanus* Auctorum = *falacer* Godart.)

*inorata* Lathy, Percy I., *Thecla*

Type Locality: Rio Grande do Sul, Brazil.

Location of Type: Fournier Collection, Paris.

Original Description: 1936, *Livre jubilaire de M. Eugene-Louis Bouvier*, p. 229, pl. 8, fig. 3 (Paris).

*insignis* Godman, F. D. and O. Salvin, *Thecla*

Type Locality: Chiriquí, Panamá.

Location of Type: Staudinger Collection.

Original Description: 1887 (October), *Biologia-Centrali-Americana, Insecta, Lepidoptera-Rhopalocera*, vol. 2, p. 99 (London).

Described from a single female. Similar to *schausi*.

*instita* Druce, Hamilton H., *Thecla*

Type Locality: Chapada Campo, Brazil (January and March).

Location of Type: Godman Collection.

Original Description: 1907 (June), *Proc. Zool. Soc. London*, p. 618 (London).

*insulanus* Blackmore, E. H., *Plebeius saepiolus*

Type Locality: Victoria, B. C., May 24, 1916.

Location of Type: Canadian National Collection, Ottawa, Canada.

Original Description: 1919 (March), *Proc. Ent. Soc. British Columbia*, no. 14, p. 8, pl. 1, fig. 7 (Victoria, B. C.).

*intermedia* Strecker, Herman, *Lycaena lucia* ab. ♀

Type Locality: Virginia.

Location of Type:

Original Description: 1878, *Butterflies and Moths of North America, A Complete Synonymical Catalog*, p. 95, no. 136 (Reading, Pa.).

Additional Reference: Barnes, W. J. and F. H. Benjamin, 1926 (March), *Bull. Southern Calif. Acad. Sci.*, vol. 25, p. 20 (Los Angeles, Calif.). (List *intermedia* as a female form of *pseudargiolus* Boisduval and LeConte.)

*intermedia* Barnes, W. J. and J. H. McDunnough, *Philotes battooides*

Type Locality: Shasta County, California, third week in July.

Location of Type: United States National Museum (Barnes Collection).

Original Description: 1917 (March), Contributions to the Natural History of the Lepidoptera of North America, vol. 3, no. 4, p. 214, pl. 16, figs. 4-6 (Decatur, Illinois).

Additional Reference: McDunnough, J. H., 1938, Check list, pt. 1, p. 28, no. 466 (Los Angeles, Calif.). (Places *intermedia* as a subspecies of *glaucon* Edwards.)

Synonyms: *malcolmi* Gunder.

*intermedia* Chermock, F. H., *Glaucoopsyche xerces* var.

Type Locality: Lone Mountain, San Francisco, California.

Location of Type: Chermock Collection?

Original Description: 1929, Bull. Brooklyn Ent. Soc., vol. 24, p. 20 (Brooklyn, N. Y.).

Additional Reference: McDunnough, J. H., 1938, Check list, pt. 1, p. 28, no. 474 (Los Angeles, Calif.). (Places *intermedia* as a synonym of *xerces* form *antiacis* Boisduval.)

*invisus* Butler, Arthur G. and Druce, Herbert, *Tmolus*

Type Locality: Cartago, Costa Rica.

Location of Type: British Museum (Natural History).

Original Description: 1872, Cistula Ent., vol. 1, p. 108 (London).

Additional References: Butler, A. G., 1874, Lepidoptera Exotica, p. 160, pl. 57, fig. 12 (London). Hewitson, W. C., 1874 (December), Illus. of Diurnal Lepidoptera, vol. 1, p. 159 (London). (Makes *invisus* Butler a synonym of *mulucha* Hewitson.).

*inyoensis* Gunder, Jean D., *Plebeius melissa* tr. f.

Type Locality: Olancha, Inyo County, California, July 2, 1925.

Location of Type: American Museum of Natural History.

Original Description: 1927 (December), Can. Ent., vol. 59, p. 281, pl. A, fig. 1 (Orillia, Ontario).

Additional Reference: McDunnough, J. H., 1938, Check list, pt. 1, p. 27, no. 450 (Los Angeles, Calif.). (Places *inyoensis* as an aberration of *melissa* Edwards.)

*iodinus* Kaye, W. J., *Tmolus*

Type Locality: Port of Spain, Trinidad.

Location of Type: British Museum (Natural History).

Original Description: 1914 (1913), Trans. Ent. Soc. London, pt. III, p. 569, pl. 30, fig. 12 (London).

*ion* Druce, Hamilton, H., *Thecla*

Type Locality: Interior of Colombia.

Location of Type: Druce Collection (♂).

Original Description: 1890, Ent. Mo. Mag., Series 2, vol. 1, p. 151 (London).

Additional Reference: Druce, H. H., 1907 (June), Proc. Zool. Soc. London, p. 576, pl. 32, fig. 7 ♂ (type) (London).

Subspecies: *extrema* Draudt.

*iopas* Godman, F. D. and O. Salvin, *Thecla*

Type Locality: Chontales, Nicaragua.

Location of Type: British Museum (Natural History).

Original Description: 1887 (September), *Biologia Centrali-Americana*, Insecta, Lepidoptera-Rhopalocera, vol. 2, p. 65, vol. 3, pl. 56, figs. 4, 5 ♂ (London).

*ira* Hewitson, W. C., *Thecla*

Type Locality: Mexico.

Location of Type: British Museum (Natural History).

Original Description: 1867, Illus. of Diurnal Lepidoptera, vol. 1, p. 89, vol. 2, pl. 35, figs. 81, 82 ♂ (London).

Additional Reference: Kirby, W. F., 1871, A Synonymic Catalogue of Diurnal Lepidoptera, p. 386, no. 117 (London). (Regards *ira* Hewitson as a homonym of *irus* Godart and makes a new name viz. *hewitsoni* Kirby.)

*irioides* Scudder, Samuel H., *Incisalia* (not Boisduval), Misspelling of *iroides* Boisduval

Type Locality:

Location of Type:

Original Description: 1876 (April), Bull. Buffalo Soc. Nat. Sci., vol. 3, p. 104 (Buffalo, N. Y.).

*iris* Morris, John G., *Thecla* (not Godart) Misspelling of *irus* Godart

Type Locality:

Location of Type:

Original Description: 1862, A Treatise on some of the insects of New England which are injurious to vegetation, p. 97 (Washington, D. C.).

*irooides* Boisduval, Jean A., *Thecla*

Type Locality: California.

Location of Type: United States National Museum?

Original Description: 1852, Ann. Soc. Ent. France, Series 2, vol. 10, p. 289 (Paris).

Additional Reference: Oberthür, Charles 1913 (October), Etudes de Lépidoptérologie Comparee, fasc. 9, pt. 1, p. 40, pl. 235, fig. 1924 (Rennes).

Synonyms: *immaculata* Cockle, *irioides* Scudder.

Subspecies: *annetiae* dos Passos.

*irus* Godart, Jean B., *Polyommatus*

Type Locality: America?

Location of Type:

Original Description: 1822, Encyclopédie Méthodique, vol. 9, p. 674 (Paris).

Additional Reference: Boisduval, Jean A. and J. LeConte, 1833, Histoire Générale et iconographie des Lépidoptères et des chenilles de l'Amérique Septentrionale, p. 101, pl. 31 (Paris).

Synonyms: *arsace* Boisduval and LeConte, *balteata* Scudder, *iris* Morris.

*ismarus* Cramer, Pierre, *Papilio*

Type Locality: ♀

Location of Type:

Original Description: 1777, Papillons exotiques des trois parties du monde, vol. 2, p. 123, pl. 76, fig. F (Amsterdam).

Additional Reference: Druce, H. H., 1907, Proc. Zool. Soc. London, p. 568 (London). (Did not recognize the species.)

*isobeon* Butler, A. G. and Herbert Druce, *Tmolus*

Type Locality: Cartago, Costa Rica.

Location of Type: British Museum (Natural History) (Druce Collection.)

Original Description: 1872, (July), *Cistula Entomologica*, vol. 1, p. 108 (London).Additional References: Butler, A. G., 1873 (October), *Lepidoptera Exotica*, p. 161, pl. 57, fig. 2 (London). Godman, F. D. and O. Salvin, 1887 (September), *Biologia Centrali-Americanana, Insecta, Lepidoptera-Rhopalocera*, vol. 2, p. 74 (London). (Make *isobeon* a synonym of *beon* Cramer.)*isola* Reakirt, Tryon, *Lycaena*

Type Locality: Vera Cruz, Mexico.

Location of Type: Strecker Collection (1 ♀).

Original Description: 1866 (November), Proc. Acad. Nat. Sci. Philadelphia, p. 332 (Philadelphia, Pa.).

Additional References: Godman, F. D. and O. Salvin, 1887 (October), *Biologia Centrali-Americanana, Insecta, Lepidoptera-Rhopalocera*, vol. 2, p. 104, vol. 3, pl. 58, figs. 33, 34 ♂, 35 ♀ (London). Comstock, W. P. and E. I. Huntington, 1943 (December), Ann. New York Acad. Sci., vol. 45, p. 102 (New York). Comstock, W. P., 1944 (October), Scientific Survey of Porto Rico and the Virgin Islands, vol. 12, pt. 4, p. 498, pl. 9, fig. 14 ♂ (New York).Note: Godman and Salvin make the female of *zachaeina* Butler and Druce the female of *isola*.Synonyms: *alce* Edwards, *nyagora* Boisduval.*isophthalma* Herrich-Schäffer, G. A. W., *Lycaena*

Type Locality: Cuba.

Location of Type:

Original Description: 1862, *Corresp.-Blatt Zool.-Min. Ver. Regensburg*, vol. 16, p. 141 (Regensburg).Additional Reference: Comstock, W. P. and E. I. Huntington, 1943 (December), Ann. New York Acad. Sci., vol. 45, p. 110 (New York). (Make *isophthalma* a subspecies of *exilis* Boisduval.)*istapa* Reakirt, Tryon, *Thecla*

Type Locality: "Mexico near Vera Cruz".

Location of Type:

Original Description: 1866 (November), Proc. Acad. Nat. Sci. Philadelphia, p. 339, ♀ (Philadelphia, Pa.).

Additional References: Field, William D., 1940, *Kansas Univ. Sci. Bull.*, vol. 26, p. 346 (Lawrence, Kansas). (Makes *istapa* a subspecies of *columella*

Fabricius.) Comstock, W. P. and E. I. Huntington, 1943 (December), Ann. New York Acad. Sci., vol. 45, p. 83, pl. 1, fig. 11 ♀ (New York).

*itys* Edwards, William H., *Thecla*

Type Locality: Prescott, Arizona.

Location of Type: Carnegie Museum, Pittsburgh, Pennsylvania.

Original Description: 1882 (February), *Papilio*, vol. 2, p. 23 (New York).

Additional Reference: Holland, W. J., 1931, *The Butterfly Book*, 2nd Edition, p. 238, pl. 29, fig. 17 ♀ (type) (Garden City, N. Y.). (This probably fixes the lectotype.)

*ivelia* Gosse, Philip Henry, *Thecla*

Type Locality: Paraguay (North bank of Paraná River, October).

Location of Type: British Museum (Natural History).

Original Description: 1880 (September), *Entomologist*, vol. 13, p. 205, pl. 2, fig. 3 ♀ (London).

Additional Reference: Druce, H. H., 1907 (June), *Proc. Zool. Soc. London*, p. 577 (London). (Said that the female type is in bad condition, Gosse's figure bad, but it is undoubtedly the female of *Thecla thara* Hewitson, and therefore a synonym.)

*ixion* Fabricius, Johann Christian, *Papilio*

Type Locality: "In India."

Location of Type:

Original Description: 1775, *Systema Entomologiae*, p. 523 (Flensburg).

Additional References: Fabricius, Johann Christian, 1793, *Entomologica Systematica*, vol. 3, pt. 1, p. 265 (Hafniae). (Includes *ixion* with *mars* Fabricius.) Butler, A. G., 1870, *Catalogue of Diurnal Lepidoptera Described by Fabricius in the Collection of the British Museum*, p. 190 (London). (Says that *ixion* was distinct from *mars* Fabricius.) Druce, H. H., 1907 (June), *Proc. Zool. Soc. London*, p. 568 (London). (Says that two British Museum specimens determined as *ixion* by Butler are doubtfully distinct from *T. m-album* Boisduval and LeConte.)

Note: We cannot identify *ixion*.

Synonyms: *euripides* Fabricius, *euripedes* Kirby.